

If you answer yes to any of the following questions, a Sauk River Watershed District permit is required.

Stormwater		
Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	Is your project creating or resurfacing one or more acres of impervious surface?
<input type="checkbox"/>	<input type="checkbox"/>	Are you developing a new resort?
<input type="checkbox"/>	<input type="checkbox"/>	Is your project a new Planned Use Development (PUD)? (i.e., residential development or cluster development).
<input type="checkbox"/>	<input type="checkbox"/>	Are you expanding or replacing an existing structure at an existing resort or PUD?
<input type="checkbox"/>	<input type="checkbox"/>	Are you redeveloping a parcel where: <ul style="list-style-type: none"> • Greater than 25% of the site is impervious? • 35% where an existing stormwater management plan is in place?

In order to obtain a permit, please refer to Appendix A: Stormwater Requirements

Erosion Control <i>Exemption: ordinary agricultural practices.</i>		
Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	Disturbing land greater than 200 ft ² AND within 500 ft. of a water body or wetland?
<input type="checkbox"/>	<input type="checkbox"/>	Are you completing horticulture activities (such as a household garden) which disturb greater than 1,200 ft ² within 500 ft. of water body or wetland?

In order to obtain a permit, please refer to Appendix B: Erosion Control Requirements

Drainage <i>Exemption: Municipal/ public drainage facilities or to the repair or replacement of existing drainage facilities, as long as the repair or replacement is not an expansion.</i>		
Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	Are you creating a new or expanded open private ditch?
<input type="checkbox"/>	<input type="checkbox"/>	Are you creating a new or expanding a draitile system with a diameter greater than 12 inches and drains agricultural land?
<input type="checkbox"/>	<input type="checkbox"/>	Are you creating an open surface intake for agricultural drainage purposes?
<input type="checkbox"/>	<input type="checkbox"/>	Are you working in the right of way of any public drainage system?
<input type="checkbox"/>	<input type="checkbox"/>	Are you diverting water into a public drainage system from land not assessed for the system?
<input type="checkbox"/>	<input type="checkbox"/>	Are you manipulating or connecting to any public drainage system?

In order to obtain a permit, please refer to Appendix C: Drainage Requirements

Water Uses		
Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	Do you intend to flood land or enlarge a wetland by diverting or intentionally holding back water?
<input type="checkbox"/>	<input type="checkbox"/>	Do you intend to construct, install or alter a water control structure in a waterbody, including waterbody crossings?
<input type="checkbox"/>	<input type="checkbox"/>	Do you intend to divert water into a different subwatershed? (map in Appendix D)
<input type="checkbox"/>	<input type="checkbox"/>	Are you constructing or reconstructing a water body crossing?

In order to obtain a permit, please refer to Appendix D: Water Uses Requirements



PERMIT APPLICATION

Return application to:
Sauk River Watershed District
 524 Fourth Street South
 Sauk Centre, MN 56378
 Phone: (320) 352-2231
 Fax: (320) 352-6455

TO BE COMPLETED BY DISTRICT:	
PIN	_____
AMT RECEIVED	_____ DATE _____
RECEIVED FROM	_____

Project Name	Address / Intersection	City
Project Location: _____ ½ _____ ¼	Section: _____ Township: _____	Range: _____
County: _____		

Project Purpose	<i>(Please be specific and include amount of grading and excavation; total length and diameter of tile installed; amount of impervious surface; etc. Attach additional sheets if necessary.)</i>

Area of Land Disturbance (square feet)	Distance to Lake, Stream, or River (feet)
--	---

Rule Applicability (check all that apply):			
<input type="checkbox"/> Rule 7 – Stormwater	<input type="checkbox"/> Rule 8 – Erosion Control	<input type="checkbox"/> Rule 9 – Drainage	<input type="checkbox"/> Rule 10 – Water Uses

Name of Owner	Organization Name	Owner's Agent	Organization Name
Address		Address	
City, State, Zip		City, State, Zip	
Phone	Fax	Phone	Fax
Email		Email	

The undersigned hereby acknowledges by signing this Permit Application, the undersigned, its agents, assigns and/or representatives (hereinafter "Permittee") shall abide by all the standard conditions and special terms and conditions of the Sauk River Watershed District (SRWD) Permit. Any work which violates the terms of the permit may result in the SRWD issuing a Stop Work Order, which shall immediately cause the work on the project relating to the permit to cease and desist. All work on the project shall cease until the permit conditions are met and approved by the SRWD.

I hereby make application for a permit or make notification to proceed with the proposed described above and have attached all supporting maps, plans, and other information submitted with this application and all necessary fees. The information submitted and statements made concerning this application are true and correct to the best of my knowledge.

Signature of owner or authorized agent _____ **Date** _____

Note: You may also need to apply for permits from other local, state, or federal agencies. If required by the District, the Applicant shall provide the approved permits from these agencies.

Permit Timeline Notice

It is the intention of the Sauk River Watershed District (SRWD) to reply to the applicant in a timely manner and within the confines of the SRWD's administrative rules and Minnesota Statute 15.99. Below is the criteria and the standard at which the SRWD will hold itself accountable.

Within 15 business days of receipt of an application, the applicant will be notified whether the application is complete or incomplete. A complete application may include but is not limited to the following:

1. Signed permit application
2. Signed permit timeline form
3. Signed permit authorized agent form, if applicable
4. All required fees
5. All required documents as outlined within the appropriate permit being requested (ie. Appendix A (Stormwater), Appendix B (Erosion Control), Appendix C (Drainage) and/or Appendix D (Water Use).
6. Performance Surety, if applicable
7. Operation and Maintenance Plan, if applicable
8. Drainage Easement, if applicable
9. Permits or approvals issued by other units of government

Notification of incomplete applications will be in writing and will state the items needed to complete the application. Upon receipt of newly submitted items, the SRWD may take up to another 15 business days to deem the application as complete.

Upon receipt of a complete application, the SRWD will work to approve or deny a permit within 60 days.

If a permit requires Board approval, a complete application needs to be filed with the District Administrator 10 business days prior to a Board meeting to be placed on the agenda. The Board may listen to the project but still have the 60-day timeframe to either approve or deny the permit.

As the applicant, I hereby recognize and acknowledge the Sauk River Watershed District Permit timelines.

Signature of Owner or Authorized Agent

Date

Printed Name of Owner or Authorized Agent

Authorized Agent Form

I, _____ (“Owner”) hereby authorizes _____ (“Agent”) to act as Owner’s authorized agent for the purpose of securing a permit from the Sauk River Watershed District for _____ (“Project”) to be completed on Owner’s property located at Parcel ID (PIN): _____
Physical Site Address: _____

Owner and Agent acknowledge that this form in no way alters the rules or regulations of the Sauk River Watershed District, and both Owner and Agent are responsible for compliance with the rules or regulations of the District. The person or company named as the Agent above has been approved to act as Owner’s authorized agent for the duration of the permit unless Owner notifies the District with an updated Authorized Agent Form. Owner expressly authorizes the District to disclose any and all information related the Project to the Agent.

Please contact the Sauk River Watershed District per the information above with any questions or concerns you may have prior to filling out this form. Please note that if your project requires an authorized agent, your permit application will not be considered complete until this form has been completed and received by the District.

Agent Contact Information:

Owner’s Signature _____ Date _____

Agent’s Signature _____ Date _____

As approved by SRWD Board of Managers and in effect on and after October 1, 2016.

SAUK RIVER WATERSHED DISTRICT PERMIT FEE and PERFORMANCE SURETY SCHEDULE	
Section 7 – Stormwater Permit	
Projects creating < 1 acre impervious surface (Subd. 2d.)	\$850
Projects creating 1 – 2.5 acres of impervious surface (Subd. 2a.)	\$1,500
Projects creating 2.6 – 5 acres of impervious surface (Subd. 2a.)	\$2,500
Projects creating > 5 acres of impervious surface (Subd. 2a)	\$3,000 + \$500/acre, capped at \$7,000
PUD Development, expansion, replacement (Subd. 2b and c.)	\$1,000
Section 8 – Erosion Control	
Projects disturbing > 200 ft ²	\$150
Projects disturbing 2.5 – 9.9 acres	\$250
Projects disturbing ≥ 10 acres	\$500
Section 9 – Drainage Permit	
New or expanded private ditch (Subd. 3a)	\$700.00
Agricultural drain tile with diameter >12 inches (Subd. 3b)	\$300.00
Work within the right of way of public drainage system (Subd 3c – f)	Hourly Rate*

Administrative Fees	
Extension or Transfer of Permit	\$50.00
After the fact permit	\$500.00 + actual permit costs
Performance Surety	
Stormwater Permit	125% of estimated construction costs**
Erosion Control Permit (anything over 1 acre land disturbance)	\$1,000 / acre

All permit fees have a Minnesota Statute (103D.345) required \$10 application fee included in the permit fee.

*defined as billable rate for District’s Ditch Coordinator

**as determined by District’s engineer

Note: Government agencies (Federal, State and Local) are exempt from the above fees.

APPENDIX A - STORMWATER SUBMITTAL REQUIREMENTS

The following exhibits and information **shall accompany the permit application**. An application will not be deemed complete until all of the following are submitted.

A. General Requirements

1. Plan drawings: one, full size set; one set, reduced to 11"x17"; and a copy of all submittals in electronic .pdf format.
2. Property lines and delineation of lands under ownership of the applicant.
3. Delineation of existing onsite wetlands, marshes, shoreland, and floodplain areas.
4. Construction plans and specifications of all proposed stormwater management facilities, including design details for outlet control structures.
5. Specific details related to stormwater management facilities (pond outlet structures, bioretention area typical cross-section, etc.).
6. The applicant shall complete the maintenance agreement form from the District.
7. The applicant shall provide an easement for access to stormwater Best Management Practices.
8. Stormwater utility plan to show the location, alignment, type, diameter, slope, and elevations of storm sewer pipes and related infrastructure.
9. As built elevations will be required by the District after construction and will be a condition of the permit.
10. When an existing regional BMP is proposed to manage stormwater runoff, the applicant shall show that the BMP was designed and constructed to manage the stormwater runoff from the project site, the applicant has permission to utilize any remaining capacity in the BMP, the BMP is subject to maintenance obligations enforceable by the District, and it is being maintained to its original design.

Additional Items that May be Requested

- Aerial photo showing the locations of water bodies downstream of site.
- Narrative addressing incorporation of stormwater BMPs.
- Delineation of the drainage areas contributing runoff from off-site, proposed and existing sub-watersheds onsite, emergency overflows, and drainage ways.
- Identification of existing and proposed normal, ordinary high and 100-year water elevations for all lakes, ponds, wetlands, ditches, creeks and swales onsite.
- Existing soils map for site.
- Identification of existing and proposed site contour elevations with at least a 2-foot contour interval including offsite contours where overflows are directed.

B. Rate Control Requirements

1. Stormwater runoff rate analysis for the 2-year, 10-year, 100-year 24-hour, and 7.2-inch 100-yr, 10-day snow-melt critical storm events, existing and proposed. Proposed runoff rates must be less than existing.
2. Clearly show all discharge routes from the site to a public conveyance system. The conveyance system may consist of a stream, lake, river, wetland or publicly owned storm sewer system.
3. When selecting existing conditions land use, it shall be the predominant land use over the last ten years.
4. Land-locked basins (basins with no outlet) should be designed to retain all runoff from back-to-back 100-year, 24-hour storms. These basins should be capable of infiltrating the volume of runoff produced during the back to back 100-year, 24-hour storms.
5. Rate control comparisons (existing rate vs. proposed rate) should be performed for all discharge locations from a site.
6. If filling within floodplain, demonstrate effect fill will have on floodplain elevations.

Guidance Information

- All runoff input parameters must comply with principles presented in the *Minnesota Hydrology Guide Method (SCS)*, *Minnesota Stormwater Manual*, or the Rational Method.
- New point discharges at property lines where there is no receiving body are only allowed with the permission of the adjacent property owner.
- Curve numbers or runoff coefficients should accurately reflect the soil type, land use, and vegetation. The County Soil Survey and/or soil borings may be used to determine soil types.
- When selecting proposed conditions curve numbers, consider the effect of construction activity on the compaction of site soils. Typically, the curve number should be increased “one-half” of a hydrologic soil group to account for compaction in the proposed site condition. For example, a lawn area that is mass-graded and is considered a Type B hydrologic soil, the curve number should be assumed as 68 instead of 61.
- Wetlands can be used to achieve rate control, if the following three conditions are met:
 1. Water quality treatment (according to SRWD standards) is provided prior to discharge to the wetland;
 2. The wetland is located completely within the subject property boundaries; and
 3. The WCA LGU determines that secondary impacts will not occur as a result of an increase in water level bounce.

C. Water Quality/Infiltration Requirement

1. Provide water quality treatment consistent with NPDES criteria. In general, submit calculations demonstrating that treatment is provided for 0.5-inch of runoff from all newly created or redeveloped impervious surface on the property. If the development or redevelopment drains to a point within one mile of a special or impaired water, the treatment requirement increases to 1.0-inch of runoff and one-half of the runoff volume must be infiltrated. Prior to leaving the property 80% TSS and 50% TP generated must be removed.

Guidance Information

- When using infiltration or bioretention (infiltration, storage, and water uptake by vegetation) for volume reduction, the following requirements must be met:
 1. The design shall follow the guidelines established in Chapter 12-7 of the *Minnesota Stormwater Manual* and the requirements of this section.
 2. Infiltration areas shall be limited to the horizontal areas subject to prolonged wetting. Areas of permanent pools (i.e. below the NWL of detention ponds) tend to lose infiltration capacity over time and shall not be accepted as an infiltration practice.
 3. Stormwater runoff must be pretreated to remove solids before discharging to infiltration areas to maintain the long term viability of the infiltration areas. The pretreatment shall be designed to protect the system from clogging and to protect groundwater quality. Pretreatment options may include, but are not limited to, oil/grease separation, sedimentation, biofiltration, filtration, swales or filter strips.
 4. Bioretention and infiltration areas must be designed to bypass higher flows.
- Appropriate water quality models and calculations demonstrating site compliance can be found in the *Minnesota Stormwater Manual*.

APPENDIX B – EROSION SUBMITTAL REQUIREMENTS

The following exhibits and information **shall accompany the permit application.**

A. General Requirements

1. An existing and proposed topographic map which clearly shows elevations on and adjacent to the land, property lines, all hydrologic features, the proposed land disturbing activities, and the locations of all runoff, erosion and sediment controls and soil stabilization measures.
2. Existing soils map for the site.
3. Plans and specifications for all proposed runoff, erosion and sediment controls, and temporary and permanent soil stabilization measures.
 - Temporary erosion and sediment control measures which will remain in place until permanent vegetation is in place shall be identified.
 - Permanent erosion and sediment control measures such as emergency overflow swales shall be identified.
 - Erosion and/or sediment control at the perimeter of surface stormwater facilities between the normal water level (NWL) and the 100-year high water level (HWL). This is typically accomplished with silt fence, erosion control blanket or biorolls.
 - Energy dissipation (riprap) at all stormsewer outlets.
 - Sediment control at all construction entrances and exits (rock construction entrance and exit).
 - Sediment control at all stormsewer inlets. Straw bales and silt fence surrounding inlets are **not** acceptable.
4. Detailed schedules for implementation of the land disturbing activity, the erosion and sediment controls, and soil stabilization measures.
5. Plans and specifications for dewatering methods, if applicable.
6. Detailed description of the methods to be employed for monitoring, maintaining, and removing the erosion and sediment controls, and soil stabilization measures. The name, address and phone number of the person(s) responsible shall also be provided.
7. For projects over one acre of disturbed area, documentation that the project applicant has applied for a NPDES General Construction Permit shall be submitted as well as the Stormwater Pollution Prevention Plan (SWPPP) prepared for the NPDES permit.
8. Bioretention and infiltration areas must be enclosed by fencing or otherwise protected from disturbance prior to the start of the land disturbing activity if the land is not mass graded. If the site is mass graded, the existing soil profile of biofiltration and infiltration areas (prior to the addition of any soil amendments) must be ripped or scarified to a depth of at least 18”.

APPENDIX C – DRAINAGE SUBMITTAL REQUIREMENTS

The following exhibits and information **shall accompany the permit application.**

A. General Requirements

1. Vicinity map.
2. Topographic map showing existing and proposed contours extending at least 100 feet offsite.
3. Delineation of existing and proposed subwatersheds.
4. Delineation of wetlands onsite and narrative stating how project will affect these wetlands based on National Wetlands Inventory (NWI).
5. Identification of existing and proposed drainage features such as ditches, swales, pipes, overflows, catchbasins, and water quality ponds.
6. Calculation of flows for existing and proposed conditions for the 2-, 10-, 100- year 24-hour and 7.2-inch 100-year 10-day snowmelt. Calculations must demonstrate downstream capacity exists for additional discharge.
7. Identification of normal and 100-year water levels for all existing and proposed ponds, wetlands, or other drainage features.
8. Delineation of FEMA 100-year floodplain and floodway onsite, if present.
9. Lowest floor elevations for each structure (if applicable).
10. Identification of erosion control BMPs to ensure a stable outlet and channel.
11. A site map where drainage facilities are labeled in addition to outlet location elevations, slope, and typical cross-section.
12. Documentation confirming no illicit discharges are connected to or will be connected to the drainage facility.
13. As built elevations will be required by the District after construction and will be a condition of the permit.
14. A description of where materials removed from drainage facility will be disposed of shall be provided.

APPENDIX D – WATER USE SUBMITTAL REQUIREMENTS

The following exhibits and information **shall accompany the permit application.**

A. **General Requirements**

1. Topographic map showing existing and proposed contours extending at least 100 feet offsite.
2. Existing soils map for the site.
3. A site map where drainage facilities are labeled in addition to outlet location elevations, slope, and typical cross-section.
4. Delineation of existing and proposed subwatersheds.
5. Identify erosion control BMPs, temporary and permanent to be used in work conducted in or near water bodies.
6. Maximum and average depth of all detention basins, wetland, pond, slough and impoundment.
7. Delineation of wetlands onsite and narrative stating how project will affect these wetlands.
8. Identification of existing and proposed drainage features such as ditches, swales, pipes, overflows, catchbasins, and water quality ponds.
9. Calculations must demonstrate capacity of altered or improved, natural or new artificial drainage ways.
10. Documentation confirming no illicit discharges are connected to or will be connected to the drainage facility.
11. Stormwater runoff rate analysis for the 2-year, 10-year, 100-year 24-hour, and 7.2-inch 100-year 10-day snow-melt critical storm events, existing and proposed. Proposed runoff rates must be less than existing.
12. Identification of normal and 100-year water levels for all existing and proposed ponds, wetlands, or other drainage features.
13. Identification of erosion control BMPs to ensure a stable outlet and channel.
14. As built elevations will be required by the District after construction and will be a condition of the permit.